



**70349—
2022**

2022

1 «
» ()
2 061 «
»
3 12 2022 . 907-
4

29 2015 . 162- «
) 26
 ».
— 1
 ()
 «
».
— ».
 «
 ».
—
 (www.rst.gov.ru)

| | | |
|---|-------|-------|
| 1 | | 1 |
| 2 | | 1 |
| 3 | | 1 |
| 4 | | 2 |
| (|) | |
| | | |
| | | 8 |

Ventilation of buildings. Air ducts. Classification and basic parameters

— 2023—01—01

1

2

34060

7.13130.2013

60.13330.2020 « 41-01-2003 , »
73.13330.2016 « 3.05.01-85 - »

3

^{3.1} , , , , , .

3.2 [, : (, .).

3.3 - : (, .).
2000, 2400, 3200 4000

3.4 : , .

3.5 () : , .

3.6 - : , .

3.7 : (, .).

3.8 : / , .

3.9 [() : () , ()

3.10 - : , .

3.11 - : , () (), ,

3.12 : .

3.13 : , (, .).

3.14 : , , , ,

3.15 : .

4

4.1

4.1.1 , , , , , , ,

4.1.2 , , , , , , , , ,

4.1.3 , , , , , , ,

4.1.4 , , , , ,

4.1.5 , (, , , , , ,)

4.1.6 , (, — , .).

4.2

4.2.1

4.2.2

4.2.3

1:4.

4.2.4

4.2.5

(), ().

4.3

4.3.1 (): 100, 125, 160, 200,
250, 315, 355, 400, 450, 500, 560, 630, 710, 800, 900, 1000, 1120, 1250, 1400, 1600, 1800, 2000.

4.3.2

(): 110, 140, 180, 225, 280.

4.3.3

(.1) (.2)

1

100 * 100

4.3.4

4.3.5

2000 2000

4.3.6

50

4.2.3.

4.3.7 () 1500 400
500 1250 ,
(). 1250

4.3.8

2000, 2400, 3200 4000

4.3.9

1,4—2

4.3.10

4.3.5.

4.4

4.4.1

80 °C,

)

:

2000 (1);

1 —

2000

| | |
|-----------|-----|
| , | , |
| 200 | 0,5 |
| 250—450 | 0,6 |
| 500—800 | 0,7 |
| 900—1250 | 1,0 |
| 1400—1600 | 1,2 |
| 1800—2000 | 1,4 |

) , 2000 (2);

2— , 2000

| | |
|-----------|-----|
| , | , |
| 250 | 0,5 |
| 300—1000 | 0,7 |
| 1000—2000 | 0,9 |

)

4.4.2 , 2000 ,

4.4.3 ,
80 °C ,

4.4.4 ,
7.13130.2013, 1 2.

4.5

4.5.1

4.5.2

2500 1250
: 1250 2500 . 2000 1000 : 1000 2000 .
4.5.3 3000/4000

12000 .

4.5.4 : 90°, 45°, 30°, 15°,
() (,), (,), ,
().

4.5.5 , , ,

4.5.6 , , 73.13330.2016.

4.6

4.6.1 , , /

, , ,

4.6.2

4.6.3 (/),

4.7

4.7.1

60.13330.2020 7.13130.2013.

60.13330.2020.

4.7.2

/ ,

34060.

4.8

4.8.1

(

1)

4.8.2

60.13330.2020.

4.8.3

60.13330.2020,

7.13130.2013,

[1]

()

.1 —

| | 1 | 2 |
|------|------|--------|
| 100 | 0,31 | 0,0079 |
| 125 | 0,39 | 0,012 |
| 160 | 0,50 | 0,020 |
| 200 | 0,63 | 0,031 |
| 250 | 0,79 | 0,049 |
| 315 | 0,99 | 0,078 |
| 355 | 1,12 | 0,099 |
| 400 | 1,26 | 0,13 |
| 450 | 1,41 | 0,16 |
| 500 | 1,57 | 0,20 |
| 560 | 1,76 | 0,25 |
| 630 | 1,98 | 0,31 |
| 710 | 2,23 | 0,40 |
| 800 | 2,52 | 0,50 |
| 900 | 2,83 | 0,64 |
| 1000 | 3,14 | 0,79 |
| 1120 | 3,52 | 0,99 |
| 1250 | 3,93 | 1,23 |
| 1400 | 4,40 | 1,54 |
| 1600 | 5,02 | 2,01 |
| 1800 | 5,65 | 2,54 |
| 2000 | 6,28 | 3,14 |

.2 —

| | | , 2 |
|-----------|------|------|
| | 1 | |
| 100 | 0,40 | 0,01 |
| 100 150 | 0,50 | 0,02 |
| 150 150 | 0,60 | 0,03 |
| 150 200 | 0,70 | 0,03 |
| 150 250 | 0,80 | 0,04 |
| 250 250 | 1,00 | 0,06 |
| 250 300 | 1,10 | 0,08 |
| 250 400 | 1,30 | 0,10 |
| 250 500 | 1,50 | 0,13 |
| 400 400 | 1,60 | 0,16 |
| 400 500 | 1,80 | 0,20 |
| 400 600 | 2,00 | 0,24 |
| 400 800 | 2,40 | 0,32 |
| 500 500 | 2,00 | 0,25 |
| 500 600 | 2,20 | 0,30 |
| 500 800 | 2,60 | 0,40 |
| 500 00 | 3,00 | 0,50 |
| 600 600 | 2,40 | 0,36 |
| 600 800 | 2,80 | 0,48 |
| 600 | 3,20 | 0,60 |
| 600 1250 | 3,70 | 0,75 |
| 800 800 | 3,20 | 0,64 |
| 800 00 | 3,60 | 0,80 |
| 800 1250 | 4,10 | 1,00 |
| 800 1600 | 4,80 | 1,28 |
| 1000 | 4,00 | 1,00 |
| 1000 1250 | 4,50 | 1,25 |
| 1000 1600 | 5,20 | 1,60 |
| 1000 2000 | 6,00 | 2,00 |
| 1250 1250 | 5,00 | 1,56 |
| 1250 1500 | 5,50 | 1,88 |
| 1250 2000 | 6,50 | 2,50 |
| 1600 1600 | 6,40 | 2,56 |
| 1600 2000 | 7,20 | 3,20 |

[1]

043/2017
[2] 22 2008 . 123- «
»

697.92:006.354

91.140.30

: , , , , ,

13.09.2022. 22.09.2022. 60 84%
. . 1,40. - . . 1,12.

« »

117418 , . 31, . 2.
www.gostinfo.ru info@gostinfo.ru